Zenith

Environmental Product Declaration

In accordance with ISO 14025 for: Kissen Table & Workstation Range





Environmental Product Declaration (EPD)

in accordance with ISO 14025 EPD Registration No. S-P-04644 | Version 1.0 Issued 14/10/2021 | Valid until 14/10/2026

Company Information

Zenith Interiors designs, manufactures, and distributes leading-edge products for corporate and commercial environments that inspire people and organisations to excel (Zenith Interiors, 2019).

Product-related or management system-related certifications:

- ISO 9001 Quality management systems
- ISO 14001 Environmental Management Systems

AS 4801 Health and Safety

Name and location of production site: Zenith Interiors, Melbourne, Victoria.

Kissen Table & Workstations



Designed for the physical and functional requirements of today's diverse work modes, Kissen fosters connection whether in a social or collaborative setting. The family of tables and workstations features a strong timber aesthetic with a distinct leg profile. The under-structure design makes economic use of the components and accessory options to provide ease of team expression and identity.

Kissen tables provide work surfaces in a broad range of sizes for both seated and standing heights of 720 mm, 750mm and 1050 mm respectively, with the option of mobility castors. Kissen legs are available linear or with a 45° corner leg for a softer domestic visual appeal.

Kissen Workstation is engineered to optimise team based working with numerous configuration options and customisation to enrich the work environment. Integrated with ZENITH CtrI™, KISSEN Workstation has access to a range of accessories.

UN CPC code: 3812/3813/3814 (EPD International, 2019).

Geographical scope: Final product produced in Melbourne, Victoria for the Australian market.

Functional unit / declared unit: One Kissen table with length 1.80 m, depth 1.65 m, height 0.72 m.

Scope: Cradle to grave life cycle of one Kissen table.

Reference service life: 15 years (EPD International, 2019).

Databases and LCA software used: AusLCI 2.2, ecoinvent 3.6, Industry Data 2.0 databases; SimaPro 9.1.0.11 software

Data collection period: July 2019 - February 2020



An Environmental Product Declaration, or EPD, is a standardised and verified way of quantifying the environmental impacts of a product that is based on a consistent set of rules known as Product Category Rules (PCR). EPDs within the same product category from different programs may not be comparable. This EPD is for a specific furniture product and follows the Product Category Rules 'Furniture, except seats and mattresses v2.01'.

Declaration Owner:

Zenith Interiors

Web: zenithinteriors.com Email: info@zenithinteriors.com Phone: 1300 013 013

EPD produced by:

Good Environmental Choice Australia (GECA)

Web: geca.eco Email: enquiries@geca.org.au Phone: 02 9699 2850

EPD program operator:

The Australaisan EPD® Programme Ltd

Web: www.epd-australasia.com Email: info@epd-australasia.com Post: c/o Kendons Chartered Accountants PO Box 31045, Lower Hutt 5040, New Zealand

PCR Information

PCR:

Product Category Rules 'Furniture, except seats and mattresses v2.01'.

PCR review conducted by:

Text

Independant verification of the declaration and data, according to ISO 14025:

- EPD process certification (Internal)
- EPD verification (External)

Third party verifier

Text

Text

Accredited or approved by: The Australasian EPD® Programme

Product Information

The Kissen table is 1.80 m long, 1.65 m deep and 0.72 m high. It consists of a particleboard top, a beam with steel and aluminium components and legs made of either aluminium or timber (displayed as two separate options in this Environmental Product Declaration).

The materials used are sourced from different suppliers in Australia as well as Shanghai, China and transferred to Zenith's Melbourne factory for the manufacturing of the final product.

The final manufacturing process includes powder coating of the metals where the surfaces are first cleaned, then go through a powder coating process after which they are cured with heat. The rest of the components are assembled in the factory.

Background Data

Australian inputs were primarily modelled with the AusLCI database; the ecoinvent v3 database was used where suppliers were from overseas. All background data used was less than ten years old.

System Boundaries and Life Cycle Stages

Life Cycle Stages

This Environmental Product Declaration analyses the production of a Kissen table, including the raw material extraction, the manufacture of components from suppliers, the assembly of the table as well as the end of its service life. The different Kissen table components are transported to Sandringham, Victoria where the table is assembled. The product is then packed in cardboard boxes and supplied to showrooms as well as clients in Australia.

Process Module Declared Description Life cycle stages modules Upstream A1 Raw materials supply Al-A3: Manufacturing stage Х process A2 Х Components/raw materials manufacture Core A3 Components transport to Х process Zenith factory Manufacturing of final Α4 Х products Transport of final product Downstream B1 B1: Final product transport Х process B2 Maintenance B2-B4: Usage stage Х B3 Х Replacement Β4 Operational energy use Х C1-C3: End-of-life Х C1 Transport C2 Manual dismantling Х Х СЗ Waste disposal Other D Recycling Other Environmental Stage Х Environment al Stage

Table 1: Life cycle stages of Kissen table

System Diagram

An 'upstream – core – downstream' flow is adopted in this study. The upstream processes include the flows of raw materials. The core processes include all activities which the manufacturing organisation is in control of, i.e. transportation of the components to the manufacturing factory and the actual process of manufacturing. The downstream processes include the steps that are controlled by the user and the disposal or recycling options of the products.




Figure 1: Process diagram Kissen table

End-of-life Scenarios

Zenith Interiors operates a take-back scheme for its furniture. Likewise, furniture owners resell or donate the furniture by themselves to extend its lifetime. In the end-of life for other environmental stages (represented as modules), all aluminium and steel parts of the product are recycled after being manually dismantled. This is noted separately due to Polluter pays principle (PPP).

Data Quality, Temporal Scope and Geographical Scope

The modelling of Zenith products is of high quality as detailed company specific data about the product components, component suppliers, the annual energy consumption and the annual production rate was provided for this study. Data for upstream and downstream processes are retrieved from suitable averages in the AusLCI and ecoinvent databases.

The temporal scope of the study is the period for which the data was collected. The data collection process started with the visit to Zenith's Melbourne factory in July 2019. The energy consumption data taken into consideration range from September 2018 to 2019. The production volume data is for 2019. For the background data, temporal scope for AUSLCI VI.33, a shadow database of modified ecoinvent 2.2 processes is July 2020. For ecoinvent 3.6 the temporal scope is September 2019.

Materials/fuels Module **Data source** Geographical **Data quality** scope Raw materials Materials and A1, A2 Information provided by Australia, High quality components for beam China supply, Zenith Interiors components/ Materials for the legs raw materials (aluminium/timber) manufacture, Particle board for packaging tabletop Packaging of final product Packaging from suppliers Components Transportation of A3, A4 Information provided by Australia, High quality China transport to components from Zenith Interiors Zenith factory, Shanghai, China manufacturin Transportation of particle g of final board (Victoria, Australia) products Electricity consumption Natural gas consumption Transportation Zenith Melbourne factory B1 Assumption of average Australia Medium quality of final to client distance of 1,000 km product according to Product Category Rules Usage stage Maintenance B2 Regular cleaning and Australia High quality dusting is recommended. Replacement B3 Not required High quality Β4 Operational energy use Not required High quality End of the life-Transport C1 Assumption of average Australia Medium quality Downstream distance of 1,000 km Manual dismantling C2 No impacts observed Medium quality for manual dismantling Waste disposal C3 Complete product Medium quality along with packaging ends up in landfill. Other Recycling D3 Aluminium and steel Australia Medium quality environmental parts are recycled. impacts Recycling

Table 2: Data sources, geographical scope and data quality

Allocations

No allocation between co-products in the core module was necessary as there were no co-products created during manufacturing.

The methodological choices for allocation for reuse, recycling and recovery have been set according to the polluter pays principle (PPP). This means that the generator of the waste shall carry the full environmental impact until the point in the product's life cycle at which the waste is transported to a scrapyard or the gate of a waste processing plant (collection site). The subsequent user of the waste shall carry the environmental impact from the processing and refinement of the waste, but not the environmental impact caused in the earlier life cycles. The cut-off system model from ecoinvent was used. Any allocations in the AusLCI unit system and Industry Data 2.0 were adopted.

Content Declaration

Table 3: Materials used for Kissen table

Materials	Quantity	Unit
Particle board tabletop	0.072	m3
Aluminium extruded	10.46	kg
Steel sheet	8.04	kg
Steel alloyed	1.968	kg
Aluminium die cast (including leg)	7.4	kg
American oak timber	6.3936	kg
Packaging materials from suppliers – plastic film	0.325	kg
Packaging materials from suppliers – folding box	0.081	kg
Packaging for final product – cardboard box	0.325	kg

Table 4: Energy consumption per product

Energy consumption	Quantity	Unit
Electricity	4.97	kWh
Gas usage	42.42	MJ

Environmental Performance

Environmental Impact Assessment Methods

Table 5: Overview of environmental impact assessment methods used in the study

Impact cat	egory	Unit	Assessment method			
Global	Fossil	kg CO2 eq.	Greenhouse Gas Protocol V1.02			
warming potential	Biogenic	kg CO2 eq.				
(GWP)	CO2 eq. from land transformation	kg CO₂ eq.				
	Total	kg CO2 eq.				
Abiotic dep	letion	kg Sb eq.	CML-IA baseline V3.6			
Abiotic dep fuels)	letion (fossil	MJ				
Ozone laye (ODP)	r depletion	kg CFC-11 eq.				
Photochem	ical oxidation	kg C ₂ H ₄ eq.	Recipe 2008 Midpoint			
Acidificatio	n	kg SO ₂ eq.	CML-IA baseline V3.6			
Eutrophicat	ion	kg PO₄³- eq.				
Water use		m ³	AWARE VI.01			
Land use		species.yr	Recipe 2016 Endpoint VI.04			
Human toxi	city, cancer	CTUh	USEtox 2			
Human toxi	city, non-cancer	CTUh				
Freshwater	ecotoxicity	CTUe				
Radioactive	e waste	kg	EDIP 2003 method			
Hazardous	waste	kg	EDIP 2003 method			
Non-hazaro	dous waste	kg	EDIP 2003 method (Sum of Bulk waste and Slag waste)			
Primary energy resources	Use as energy carrier	MJ	Cumulative Energy Demand V1.11 method: calculated as sum of renewable – biomass, renewable – wind, solar, geothermal, and renewable – water.			
Renewabl e	Use as raw materials	MJ	Manual calculation			
Primary energy resources	Use as energy carrier	MJ	Cumulative Energy Demand V1.11 method: calculated as sum of non-renewable – fossil, non-renewable – nuclear, and non-renewable – biomass.			
Non- renewabl e	Use as raw materials	MJ	Manual calculation			
Secondary material kg resources		kg	Manual calculation			
Renewable	Renewable secondary fuels MJ		0			
Non-renew fuels	able secondary	MJ	0			
Net use of f	resh water	m ³	Recipe 2016 Midpoint V1.04			

The following tables show the environmental impacts of the Kissen table with respect to upstream, core and downstream processes, including all processes listed in Table 1. The downstream processes are divided into the two end-of-life scenarios described in chapter 7.

Environmental Impacts

The Kissen table is either manufactured with a timber leg or aluminium leg. The aluminium leg has an extra core process where it is powder coated in the Zenith factory itself.

Kissen Table with Aluminium Legs:

Impact cate	Impact category		Upstream	Core	Downstrea	Total	Other
			processes	processes	m		environme
					processes		ntal stage-
					with landfill		Recycling
			A1-A2	A3-A4	B1-C4		D
Global	Fossil	kg CO2 eq.	3.84E+02	2.13E+01	1.23E+02	5.25E+02	-3.58E+02
warming	Biogenic	kg CO ₂ eq.	-8.54E+01	1.76E-02	9.26E+01	7.23E+00	-4.83E-01
potential	CO2 eq. from	kg CO2 eq.	1.36E+00	2.75E-05	4.13E-04	1.29E+00	-1.79E-03
(GWP)	land						
	transformatio						
	n						
	Total	kg CO2 eq.	3.00E+02	2.14E+01	2.15E+02	5.34E+02	-3.58E+02
Abiotic depl	etion	kg Sb eq.	2.62E-03	2.30E-05	9.72E-05	2.74E-03	-1.39E-04
Abiotic depl	etion (fossil	MJ	3.05E+03	1.92E+02	1.65E+03	4.89E+03	-2.34E+03
fuels)							
Ozone layer	depletion	kg CFC-11	1.39E-05	9.52E-07	1.84E-05	3.32E-05	-9.54E-06
(ODP)		eq.					
Photochemi	cal oxidation	kg	1.19E+00	1.05E-01	1.64E-01	1.46E+00	-8.72E-02
		NMVOC					
Acidification	1	kg SO ₂ eq.	1.25E+00	5.87E-02	5.77E-01	1.88E+00	-9.26E-01
Eutrophicati	on	kg PO₄³-	3.31E-01	1.54E-02	1.28E-01	4.75E-01	-1.89E-01
		eq.					
Water use		m ³	6.70E+03	2.79E+02	2.16E+02	7.20E+03	-8.45E+03

Table 6: Life cycle impacts - Kissen table with aluminium legs

Table 7: Resource use – Kissen table with aluminium legs

Impact cate	gory	Unit	Upstream	Core	Downstream	Total	Other
			processes	processes	processes		environme
					with landfill		ntal stage-
							Recycling
			A1-A2	A3-A4	BI-C4		D
Primary	Use as energy	MJ	1.61E+03	7.29E+00	3.14E+00	1.62E+03	-2.61E+02
energy	carrier						
resources	Use as raw	MJ	0	0	0	0	0
Renewable	materials						
	Total	MJ	1.73E+03	7.29E+00	3.14E+00	1.74E+03	-2.61E+02
Primary	Use as energy	MJ	3.46E+03	2.10E+02	1.76E+03	5.42E+03	-2.49E+03
energy	carrier						
resources	Use as raw	MJ	3.26E+00	0	0	3.26E+00	0
Non-	materials						
renewable	Total	MJ	3.46E+03	2.10E+02	1.76E+03	5.42E+03	-2.49E+03
Secondary r	naterial	kg	0	0	0	0	0
resources							
Renewable s	secondary fuels	MJ	0	0	0	0	0
Non-renewo	Ible secondary	MJ	0	0	0	0	0
fuels							
Net use of fre	esh water	m ³	1.57E+02	6.49E+00	-1.87E+02	-2.29E+01	-4.94E+00

Table 8. Other impacts – Kissen table with aluminium legs

			-			
Impact category	Unit	Upstream	Core	Downstream	Total	Other
		processes	processes	processes		environment
				with landfill		al stage-
						Recycling
		Al-A2	A3-A4	BI-C4		D
Land use	speci	2.18E-07	5.29E-09	9.82E-09	2.33E-07	-1.15E-07
	es.yr					
Human toxicity, cancer	CTUh	1.39E-07	4.29E-10	3.31E-09	1.43E-07	-2.02E-08
Human toxicity, non-cancer	CTUh	1.20E-08	1.10E-10	1.74E-09	1.39E-08	-1.25E-08
Freshwater ecotoxicity	CTUe	5.31E-01	3.78E-02	1.64E-01	7.33E-01	-2.58E-01

Table 9: Waste flow categories - Kissen table with aluminium legs

			5			
Impact category	Unit	Upstream	Core	Downstream	Total	Other
		processes	processes	processes		environment
				with landfill		al stage-
						Recycling
		A1-A2	A3-A4	B1-C4		D
Radioactive waste	kg	4.52E-03	1.27E-05	2.54E-06	4.54E-03	-2.10E-05
Hazardous waste	kg	4.99E-03	1.20E-03	7.16E-04	6.90E-03	1.22E-02
Non-hazardous waste	kg	5.78E+01	1.03E+00	5.32E+01	1.12E+02	-4.27E+01

Table 10: Output flow categories – Kissen table with aluminium legs

Impact category	Unit	Upstream	Core	Downstream	Total	Other
		processes	processes	processes		environment
				with landfill		al stage-
						Recycling
		Al-A2	A3-A4	BI-C4		D
Reuse	kg	0	0	0	0	0
Materials for recycling	kg	0	0	0	0	0
Energy recovered	MJ	0	0	0	0	0
Energy exported	MJ	0	0	0	0	0
Energy exported, thermal	MJ	0	0	0	0	0

Table 11: Life cycle impacts – Kissen table with timber legs

Impact cat	egory	Unit	Upstream	Core	Downstream	Total	Other
			processes	processes	processes		environme
					with landfill		ntal stage-
							Recycling
			A1-A2	A3-A4	BI-C4	-	D
Global	Fossil	kg CO ₂	3.35E+02	1.77E+01	1.21E+02	4.73E+02	-2.73E+02
warming		eq.					
potential	Biogenic	kg CO ₂	-1.01E+02	-5.64E-02	9.15E+01	-9.33E+00	-3.60E-01
(GWP)		eq.					
	CO2 eq. from	kg CO ₂	5.65E-01	2.09E-05	4.06E-04	5.65E-01	-1.16E-03
	land	eq.					
	transformatio						
	n						
	Total	kg CO ₂	2.35E+02	1.76E+01	2.12E+02	4.64E+02	-2.74E+02
		eq.					
Abiotic dep	letion	kg Sb	1.35E-03	2.08E-05	9.57E-05	1.47E-03	-8.95E-05
		eq.					
Abiotic dep fuels)	letion (fossil	MJ	2.51E+03	1.52E+02	1.62E+03	4.28E+03	-1.54E+03
Ozone laye	r depletion	kg CFC-	1.01E-05	6.70E-07	1.81E-05	2.88E-05	-6.22E-06
(ODP)		11 eq.					
Photochem	nical oxidation	kg	1.05E+00	2.18E-01	2.67E+00	3.94E+00	-5.96E-02
		NMVOC					
Acidificatio	n	kg SO ₂	9.44E-01	3.64E-02	5.68E-01	1.55E+00	-6.13E-01
		eq.					
Eutrophicat	tion	kg PO₄ ³⁻	2.37E-01	1.07E-02	1.26E-01	3.74E-01	-1.24E-01
		eq.					
Water use		m ³	6.85E+03	2.08E+02	2.12E+02	7.27E+03	-6.39E+03

Table 12: Resource use - Kissen table with timber legs

Impact category		Unit	Upstream	Core	Downstream	Total	Other
			processes	processes	processes		environment
					with landfill		al stage-
							Recycling
			Al-A2	A3-A4	BI-C4		D
Primary	Use as	MJ	1.89E+03	7.86E+00	3.07E+00	1.90E+03	-1.68E+02
energy	energy						
resources	carrier						
Renewable	Use as raw	MJ	1.20E+02	0	0	1.20E+02	0
	materials						
	Total	MJ	1.90E+03	7.86E+00	3.07E+00	2.00E+03	-1.68E+02
Primary	Use as	MJ	2.77E+03	1.67E+02	1.73E+03	4.66E+03	-1.64E+03
energy	energy						
resources	carrier						
Non-	Use as raw	MJ	3.26E+00	0	0	3.26E+00	0
renewable	materials						
	Total	MJ	2.77E+03	1.67E+02	1.73E+03	4.66E+03	-1.64E+03
Secondary m	aterial	kg	0	0	0	0	0
resources							
Renewable se	econdary fuels	MJ	0	0	0	0	0
Non-renewab	le secondary	MJ	0	0	0	0	0
fuels							
Net use of free	sh water	m ³	1.60E+02	4.83E+00	4.93E+00	1.70E+02	-1.49E+02

Table 13: Other impacts – Kissen table with timber legs

Impact category	Unit	Upstream	Core	Downstream	Total	Other
		processes	processes	processes		environment
				with landfill		al stage-
						Recycling
		A1-A2	A3-A4	BI-C4		D
Land use	species.	1.53E-06	5.83E-09	9.66E-09	1.55E-06	-7.44E-08
	yr					
Human toxicity, cancer	CTUh	1.26E-07	3.03E-10	-1.50E-11	1.27E-07	-1.59E-08
Human toxicity, non-	CTUh	1.08E-08	1.62E-10	2.28E-02	2.28E-02	-9.47E-09
cancer						
Freshwater ecotoxicity	CTUe	5.03E-01	1.48E-01	0.00E+00	6.52E-01	-1.96E-01

Table 14: Waste flow categories – Kissen table with timber legs

Impact category	Unit	Upstream	Core	Downstream	Total	Other
		processes	processes	processes		environment
				with landfill		al stage-
						Recycling
		Al-A2	A3-A4	B1-C4		D
Radioactive waste	kg	2.10E-03	8.26E-06	2.50E-06	2.12E-03	-1.59E-05
Hazardous waste	kg	3.18E-03	7.86E-04	6.00E-04	4.56E-03	8.80E-03
Non-hazardous waste	kg	4.51E+01	8.38E-01	5.03E+01	9.62E+01	-3.24E+01

Table 15: Output flow categories - Kissen table with timber legs

			5			
Impact category	Unit	Upstream	Core	Downstream	Total	Other
		processes	processes	processes		environment
				with landfill		al stage-
						Recycling
		A1-A2	A3-A4	B1-C4		D
Reuse	kg	0	0	0	0	0
Materials for recycling	kg	0	0	0	0	0
Energy recovered	MJ	0	0	0	0	0
Energy exported	MJ	0	0	0	0	0
Energy exported, thermal	MJ	0	0	0	0	0



Zenithinteriors.com

Australia – Melbourne, Sydney, Canberra, Brisbane, Perth, Adelaide New Zealand – Auckland, Wellington, Christchurch Asia – Hong Kong, Shanghai, Singapore, Shenzhen